GETTY COPPER

CORPORATE PRESENTATION

UNLOCKING VALUE IN CANADA'S PREMIER COPPER DISTRICT

November 2026

GTC.V

GTCDF.US

24,000	Hectares of Claims
114 MT	Historic Resource
+20,000	Metres of Drilling

Forward-Looking Statements

Certain statements contained in this presentation constitute "forward-looking statements" or "forward-looking information" under applicable Canadian securities laws and the United States Private Securities Litigation Reform Act of 1995 (collectively, "forward-looking statements"). These statements relate to future events or the Company's future performance, business prospects, or opportunities, and are based on forecasts of future results, estimates of amounts not yet determinable and assumptions of management made in light of management's experience, historical trends, current conditions, and expected future developments. Any statements that express or involve discussions with respect to predictions, expectations, beliefs, plans, projections, objectives, assumptions or future events or performance (often, but not always, using words or phrases such as "seek", "anticipate", "plan", "continue", "estimate", "expect", "may", "will", "project", "predict", "forecast", "potential", "target", "intend", "could", "might", "should", "believe" and similar expressions) are not statements of historical fact and may be forward-looking statements.

Forward-looking statements in this presentation include, but are not limited to: the anticipated advancement of the Getty North and Getty South properties through additional exploration and development work; the timing and results of future drilling, geophysics and other exploration programs; the potential for future mineral resources and reserves; expectations regarding project economics and funding requirements; and the Company's overall growth strategy. Forward-looking statements are included to provide investors with information regarding management's current expectations and plans, and may not be appropriate for other purposes.

All forward-looking statements contained in this presentation represent the Company's views as of the date hereof and are necessarily based on a number of assumptions that, while considered reasonable by management, are inherently subject to significant business, economic, competitive, political and social uncertainties and contingencies. Many factors, both known and unknown, could cause actual results, performance or achievements to be materially different from those expressed or implied by such forward-looking statements. Such factors include, without limitation: changes in project parameters as plans continue to be refined; risks inherent in mineral exploration and development; availability and cost of financing, labour and contractors; fluctuations in commodity prices, foreign exchange rates and costs of inputs; variations in grade, recovery rates or production performance; delays or failures to obtain required permits and approvals; political, regulatory or social risks in British Columbia; relations with local communities and governments; unanticipated environmental impacts or liabilities; infrastructure availability; global market volatility and broader macroeconomic conditions; and climate-related risks, including extreme weather events. Additional risk factors are set out in the Company's most recent Management's Discussion and Analysis and Annual Information Form, available at www.sedarplus.ca

The Company does not undertake any obligation to update these forward-looking statements, except as required by applicable laws. Actual results may differ materially from those expressed or implied by such forward-looking statements.

The technical information contained in this presentation has been reviewed and approved by Roy Greig, Ph.D., P.Geo., a Qualified Person as defined in "National Instrument 43-101 – Standards of Disclosure for Mineral Projects."

GTC.V GTCDF.US

LEADERSHIP

Board of Directors

Independent oversight, technical depth, and strategic mining experience



CHAIRMAN

Charles Funk

- Founder & CEO of Heliostar Metals; driving growth toward mid-tier gold production
- 18+ years in mining leadership (Newcrest, OZ Minerals, Vizsla Silver)
- Raised $244M+; led acquisitions and key discoveries in Australia & Mexico



DIRECTOR

Mahesh Liyanage

- CPA with 20+ years across public company finance and compliance
- Expertise in M&A, treasury, and Canadian/U.S. tax structuring
- Deep experience supporting Canadian mining operations in foreign and domestic jurisdictions



DIRECTOR

Earl Hope

- 40+ years in capital markets focused on junior resources and early-stage companies
- Former stockbroker specializing in financings across major firms
- Investor relations leader with strong presence at global mining conferences



DIRECTOR

Tom MacNeill

- 35+ years in mining finance, exploration, and project development
- Leadership roles across multiple resource companies and funds
- Multi-generational mining background with broad industry expertise



DIRECTOR

Brent Lepinski

- Entrepreneur with strong operational and financial leadership experience
- Director at Getty Copper since 2023
- Focused on advancing long-term project development and founder's vision

Significant Discoveries & Shareholder Return Driven By The Getty Copper Team.

HELIOSTAR SILVERCO MINING VIZSLA SILVER CORP OROGEN cg/ Canaccord Genuity

NEW LEADERSHIP

Management



CHIEF EXECUTIVE OFFICER

Ryan O'Regan

- 18+ years' experience in exploration, mine development, construction and operations
- Former senior executive at Conuma Resources; leadership roles in technical services, project development and capital projects
- B.Sc. (Hons.) Geology, Carleton University; P.Geo. with EGBC & APEGA



VP EXPLORATION

Roy Greig

- 15 years' experience in exploration and project development, primarily in B.C.
- Contributed to porphyry copper-gold discoveries at Saddle North and Joy
- Ph.D. in Geology from the University of Arizona; specialist in Laramide porphyry copper systems



CHIEF FINANCIAL OFFICER

Jeremy Fong

- 10+ years' experience in Canadian mining and capital markets
- Expertise in public company reporting, regulatory compliance, financings and M&A
- CFO/advisor to multiple TSXV- and CSE-listed resource companies



MANAGER, CORPORATE COMMUNICATIONS

Fernanda Dau

- 13+ years' corporate experience, including 8+ years in mining
- Experience across investor relations, corporate communications, governance, compliance and capital markets
- Formerly supported Gatos Silver through its acquisition by First Majestic Silver; BBA with Business Management diploma



CORPORATE SECRETARY

Rosana Batista

- 20+ years' experience in business administration and corporate governance
- Experience with international public companies across governance, process improvement and budget oversight
- Chartered Governance Professional and Associate of the Chartered Governance Institute of Canada

Corporate Structure

As of October 19, 2026

85.9M
Shares Outstanding

~$60.9M
Market Cap (using price @ $0.71)

~$20M
Cash Position

5,288,200
Warrants

6,290,000
Options Outstanding

97,496,039
Fully Diluted

27.8% Management & Insiders
Ownership

Listed on: **TSX Venture Exchange** Symbol: **GTC.V**

OTCQX Best Market Symbol: GTCDF

Project Overview

Location

- ~24,000 hectares of mineral claims beside Teck's Highland Valley Copper Mine

Team

- Experienced new leadership working to unlock full value

Historical Resource

- Historical Indicated Resource: 114 Mt of 0.37% Copper

Exploration Upside

- 7 New targets defined including open mineralized intercepts, undrilled copper in soil anomalies


2026 Program

- Fully funded for first material drilling program in 30 years
- Spring drilling complete: 10,807m across 28 holes
- **Fall drilling underway with two rigs as part of an expanded 20,000m program**

2027 Outlook


- Continued drilling and results from Getty South and priority exploration targets
- Progress toward a targeted 2027 mineral resource estimate

*Not considered current by the Company
Investors are cautioned that mineral deposits on adjacent or nearby properties, including Teck Resources' Highland Valley Copper mine, are not necessarily indicative of mineralization on Getty Copper's properties.
The resource and reserve estimates herein are derived from the 2010 Prefeasibility Study. Effective date: May 3rd, 2010. The Company has not updated the study, and the estimates should not be treated as current mineral resources or reserves.



Highland Valley District's Built-In Advantage

District scale, operating infrastructure and a proven mining camp in southern British Columbia, Canada.



DISTRICT-SCALE LAND POSITION

Getty North • Getty South • Exploration Targets • 100%-owned Dot Property

PROVEN COPPER CAMP

One of Canada's largest copper-producing camps, adjacent to an active, long-life operation.

INFRASTRUCTURE IN PLACE

Road, power and operating infrastructure already in place.

ESTABLISHED MINING ECOSYSTEM

Skilled workforce, established mining services and a clear permitting framework.

EXPLORATION LEVERAGE

Large-scale porphyry system, deep historical data and modern exploration upside.

Getty Property


~24,000 Hectares
District-scale mineral claim package

82% Getty Copper Ownership
18% Robak Industries Limited

Established Mineral Tenure
Includes Crown-granted and surveyed mineral claims

Guichon Creek Batholith
Property covers approximately 25% of the northern portion of the batholith

2010 PFS — Historical Estimate*
114.4 Mt @ 0.37% Cu Indicated
41.7 Mt @ 0.28% Cu Inferred



The 2010 study has not been updated and the resources and reserves are not treated as current by the company
*West Coast Environmental and Engineering (WCE) 43 101 compliant, Pre Feasibility Study (PFS) technical report filed May 3, 2010 on SEDAR

Getty Property

~24,000 Hectares
District-scale mineral claim package


82% Getty Copper Ownership
18% Robak Industries Limited

Established Mineral Tenure
Includes Crown-granted and surveyed mineral claims

Guichon Creek Batholith
Property covers approximately 25% of the northern portion of the batholith

2010 PFS — Historical Estimate*
114.4 Mt @ 0.37% Cu Indicated
41.7 Mt @ 0.28% Cu Inferred

The 2010 study has not been updated and the resources and reserves are not treated as current by the company
*West Coast Environmental and Engineering (WCE) 43 101 compliant, Pre Feasibility Study (PFS) technical report filed May 3, 2010 on SEDAR



2026 Drill Programs

Multi-phase program advancing resource growth and the broader exploration pipeline

1

SPRING PROGRAM — COMPLETE

10,807 m | 28 holes

10,807 m
DRILLED

28 holes
COMPLETE

15 | 13
HOLES DRILLED AT GETTY NORTH | GETTY SOUTH

SPRING 2026 RESULTS

Getty North — 15 Holes

- Tested deeper deposit extensions interpreted from recent relogging
- Confirmed historical drilling and obtained metallurgical material
- Improved geological and alteration modelling and laid the foundation for an updated model

Getty South — 13 Holes

- First significant drill program since 1996
- Tested exploration potential and confirmed location and geometry of historical higher-grade zones

Program scope and priorities may be refined based on assay results, geological modelling and permitting.

2026 Drill Programs

Multi-phase program advancing resource growth and the broader exploration pipeline

2

FALL PROGRAM — UNDERWAY

20,000m | Two rigs drilling | Fully funded

FALL 2026 PROGRAM

20,000m
DRILL PROGRAM

Two rigs
DRILLING

Fully funded

Building on the Spring Program

- **Expanded 20,000m drilling program underway with two rigs – fully funded with drilling expected through H1 2027**
- Initial drilling focused on Getty South to further define the size and continuity of higher-grade copper mineralization
- Continued evaluation of Getty North resource expansion potential
- Testing of additional exploration targets across the Getty Project
- DOT Property drilling contemplated, subject to permitting


Program scope and priorities may be refined based on assay results, geological modelling and permitting.

Getty South Drilling

Key Highlights:

- Shallow, thick, high grade intervals in first holes:
  - **150.3m of 0.71% Cu** from 101.7m, including **46m of 1.47% Cu** from 159m (GS26-06)
  - **80m of 0.84% Cu** from 60m (GS26-05)
- New zone intersected beyond IP anomaly
  - **160m of 0.32% Cu** from 165m, including **11m of 1.00% Cu** from 172m (GS26-06)
- Breccia-hosted copper mineralization extended below historical intercepts

Fall drilling underway: Two rigs operating at Getty South, following up on higher-grade copper mineralization and testing its size and continuity.




Most of the analytical work referred to herein was conducted by Eco-Tech laboratories. True widths of the reported intersections are unknown. The Company has not independently verified all historical assay results. Sampling and analytical methods are described in Preliminary Feasibility Study Technical Report of the Getty Copper Project prepared by Craig L. Parkinson, PG and Todd S. Fayram, QP, may 3, 2010

Getty South Drilling

Key Highlights:

- Shallow, thick, high grade intervals in first holes:
  - **150.3m of 0.71% Cu** from 101.7m, including **46m of 1.47% Cu** from 159m (GS26-06)
  - **80m of 0.84% Cu** from 60m (GS26-05)
- New zone intersected beyond IP anomaly
  - **160m of 0.32% Cu** from 165m, including **11m of 1.00% Cu** from 172m (GS26-06)
- Breccia-hosted copper mineralization extended below historical intercepts

Fall drilling underway: Two rigs operating at Getty South, following up on higher-grade copper mineralization and testing its size and continuity.




Most of the analytical work referred to herein was conducted by Eco-Tech laboratories. True widths of the reported intersections are unknown. The Company has not independently verified all historical assay results. Sampling and analytical methods are described in Preliminary Feasibility Study Technical Report of the Getty Copper Project prepared by Craig L. Parkinson, PG and Todd S. Fayram, QP, may 3, 2010

Getty South Drilling

Key Highlights:

- Shallow, thick, high grade intervals in first holes:
  - **150.3m of 0.71% Cu** from 101.7m, including **46m of 1.47% Cu** from 159m (GS26-06)
  - **80m of 0.84% Cu** from 60m (GS26-05)
- New zone intersected beyond IP anomaly
  - **160m of 0.32% Cu** from 165m, including **11m of 1.00% Cu** from 172m (GS26-06)
- Breccia-hosted copper mineralization extended below historical intercepts

Fall drilling underway: Two rigs operating at Getty South, following up on higher-grade copper mineralization and testing its size and continuity.




Most of the analytical work referred to herein was conducted by Eco-Tech laboratories. True widths of the reported intersections are unknown. The Company has not independently verified all historical assay results. Sampling and analytical methods are described in Preliminary Feasibility Study Technical Report of the Getty Copper Project prepared by Craig L. Parkinson, PG and Todd S. Fayram, QP, may 3, 2010

Getty North Drilling

Key Highlights:

- Classically zoned Cu-Mo porphyry
- Drilling on 4 cross-sections reported
- Strong near-surface grade confirmed:
  - **342m of 0.50% Cu** from 9m, incl. **108m of 0.70% Cu** (GN26-01)
  - **194m of 0.62% Cu** from 27m (GN26-11)
- Remains open down plunge and to NW:
  - **45.8 m of 0.4% Cu**, within **171m of 0.24% Cu** (GN26-03)
  - **45 m of 0.31% Cu**, within **172m of 0.22% Cu** (GN26-12)
- Assays pending from 3 more drill holes at Getty N
- **Potential to further increase tonnage**

Getty North Drilling
Results from 12 of 15 holes: Confirm deposit quality and highlight down-plunge expansion potential.




Getty North Drilling

Key Highlights:

- Classically zoned Cu-Mo porphyry
- Drilling on 4 cross-sections reported
- Strong near-surface grade confirmed:
  - **342m of 0.50% Cu** from 9m, incl. **108m of 0.70% Cu** (GN26-01)
  - **194m of 0.62% Cu** from 27m (GN26-11)
- Remains open down plunge and to NW:
  - **45.8 m of 0.4% Cu**, within **171m of 0.24% Cu** (GN26-03)
  - **45 m of 0.31% Cu**, within **172m of 0.22% Cu** (GN26-12)
- Assays pending from 3 more drill holes at Getty N
- **Potential to further increase tonnage**


Getty North Drilling
Results from 12 of 15 holes: Confirm deposit quality and highlight down-plunge expansion potential.



Getty District Targets

Minimal modern data integration and drilling in a highly prospective district:


- Open drill intercepts at **Getty West**: 42 m grading 0.26% copper
- Strong Cu and Mo in soils at known deposits and other targets
- Pine bark biogeochemistry = new covered targets
- Numerous untested IP geophysical anomalies e.g. **Woods Creek**
- New unexplored mineral claim application covers **Lux** target
- **Expanded 2026 drilling program includes testing of priority targets across the broader Getty Project**



Getty District Targets

Minimal modern data integration and drilling in a highly prospective district:


- Open drill intercepts at **Getty West**: 42 m grading 0.26% copper
- Strong Cu and Mo in soils at known deposits and other targets
- Pine bark biogeochemistry = new covered targets
- Numerous untested IP geophysical anomalies e.g. **Woods Creek**
- New unexplored mineral claim application covers **Lux** target
- **Expanded 2026 drilling program includes testing of priority targets across the broader Getty Project**



Dot Matrix Target

- 846 hectare claim located 25km southeast of the Getty mineral claims
- Historical non-compliant indicated resource
- High-grade historical intercepts:
  - 30.2m @ 1.32% Cu
  - 27.4m @ 2.58% Cu
  - 76.2m @ 0.91% Cu
- Core destroyed; requires modern drilling
- Drill permit pending

Represents Attractive Satellite Exploration Target



The mineral resource estimates presented for the Dot Matrix area are considered "historical estimates" within the meaning of NI 43-101. They were prepared by Technical report on a diamond drill program and mineral resource estimate for dot resources ltd.'s dot property, Ronald James Robinson P. Geol., November 20th, 2010 and are reported here using the original terminology. A Qualified Person has not done sufficient work to classify the historical estimates as current mineral resources or mineral reserves, and the Company is not treating the historical estimates as current mineral resources or mineral reserves. The relevance and reliability of the historical estimates is uncertain, however they are considered material because they provide an indication of the potential mineralization on the property and support the Company's decision to pursue further exploration. The Company is not aware of any more recent estimates or data that would materially impact the historical estimates. To the extent known, the key assumptions, parameters and methods used to prepare the historical estimates were as follows: 0.10% Cu cutoff grade, a combination of ID2 and Ordinary Kriging was used for interpolation, ~40-50m drill spacing. Metal Prices: Copper: $3.00/lb, Silver: $18.00/oz, Gold: $1,200/oz, Molybdenum Trioxide: $14/lb with a resulting Cu. EQ. value assumoing 100% recovery of all metals.The historical estimates use categories that differ from those set out in NI 43-101 and the CIM Definition Standards, and accordingly, direct comparison to current mineral resources and mineral reserves is not possible without further work. Additional drilling and verification work would be required to upgrade or verify the historical estimates as current mineral resources or mineral reserves.

2026–2027 Exploration & Growth Catalysts

2026 · Drilling Year

APR

Spring Drilling Complete: 10,807 m across 28 holes

SEPT

High-Grade Results: 46 m @ 1.47% Cu within 150 m @ 0.71% Cu at Getty South.

OCT

Expanded Drill Program: Over 20,000 m planned following strong Getty South results.

OCT

Financing Closed: Flow-through financing closed to support expanded exploration.

2027 · Resource Definition & Project Advancement

Q1

Resource Definition: Integrate drilling results and refine geological models.

Q2

Continued Exploration: Advance Getty South and test priority exploration targets.

H2

Resource Estimate Target: Advance toward a maiden mineral resource estimate at Getty South.

H2

Development Studies: Assess toll milling versus standalone development.

Key Upcoming Catalysts: 20,000+ Metre Drill Program · Getty South & Priority Targets · 2027 Resource Estimate Target

INVESTMENT SUMMARY

Why Getty?

A fully funded path from established resources to new discovery in Canada's Highland Valley copper district.

1 ESTABLISHED FOUNDATION

114.4 Mt*

@ 0.37% Cu

Historical Indicated Resource at Getty North

2 FULLY FUNDED EXECUTION

10,807 m

SPRING PROGRAM COMPLETE

20,000 m

FULLY FUNDED FALL PROGRAM

Drilling continuing into H1 2027

3 DISCOVERY UPSIDE

7 targets

BEYOND KNOWN RESOURCE AREAS

100% Dot

TARGETING ADVANCING

Drilling subject to permitting

HISTORICAL RESOURCE → RESOURCE GROWTH → NEW DISCOVERY

GETTY COPPER

Unlocking Value In Canada's Premier Copper District

New leadership. Clear plan. Fully funded 20,000m drill program.
Join us as we advance one of Canada's most promising copper assets.

GTC.V
GTCDF.US

Getty Copper Inc.

24,000 ha	114 MT
LAND PACKAGE	HISTORIC RESOURCE

CONTACT INFORMATION

Ryan O'Regan, P.Geo
Chief Executive Officer
info@gettycopper.com
gettycopper.com

This presentation contains forward-looking statements. Please refer to the company's public filings for complete disclaimers and risk factors.


GETTY COPPER

Appendix

Supporting data, methodology, and reference materials

Location

- Getty Copper is located west of Logan Lake in the Highland Valley District of British Columbia
- The project is immediately north of Teck's Highland Valley Mine
- Highland Valley Copper processes 130-140k tonnes of ore per day. Q2, 2024 average production at a grade of 0.28% copper



Investors are cautioned that mineral deposits on adjacent or nearby properties, including Teck Resources' Highland Valley Copper mine, are not necessarily indicative of mineralization on Getty Copper's properties.

Historical Mineral Resources and Reserves

114 MT
Indicated Resource

0.37%
Copper Grade (Indicated)

May 2010
Effective Date

Summary of Historical Getty Indicated and Inferred Mineral Resource Estimate

Deposit	Indicated Resources (Mt)	Grade	
		Cu%	Mo%
North	69.258	0.370	0.005
South	45.148	0.377	No Data
Total	**114.406**	**0.373**	**-**
Deposit	**Inferred Resources (Mt)**	**Grade**	
		Cu%	**Mo%**
North	18.166	0.271	0.005
South	23.593	0.278	No Data
Total	**41.759**	**0.275**	**-**

Summary of Historical Getty Probable Mineral Reserve Estimates

Deposit	Inferred Resources (Mt)	Grade	
		Cu%	Mo%
North	49.691	0.397	0.005
South	36.870	0.405	No Data
Total	**86.561**	**0.400**	**-**

Note: Molybdenum credits were not included in calculating reserves or resources and the molybdenum estimated grade is provided for additional information only.
The resource and reserve estimates herein are derived from the 2010 Prefeasibility Study. Effective date: May 3rd 2010. The Company has not updated the study, and the estimates should not be treated as current mineral resources or reserves.


Historical Drilling

- Long but somewhat sporadic history of exploration dating back to 1950s
- Mainly (~90% of meterage) focused on Getty North and Getty South
- Recent (1990s onward) core preserved and data of good quality
- Variable confidence in older data

Area	Metres	Timing
Getty North	55,619	99% pre-1998
Getty South	20,734	98% pre-1997
Other	8,078	89% pre-2005
Grand Total	**84,431**	**92% pre-1998**


Area	Period	Company	Type	Holes	Hole ID	Metres
Getty North	1955-1957	Northlodge Copper Beaverlodge Diamond Uranium-Farwest Tungsten Group	Diamond	27	K-1 to K-27	2,971
	1957-1960	Kennco Explorations (Canada) Rio Tinto Canadian Exploration	Diamond	2	K-28 and D-1	354
	1964-1965	North Pacific Mines	Diamond	8	65-1 to 65-8	2,349
			Percussion	17	P-1 to P-17	806
	1965-1966	Canex Aerial Exploration (FKA Placer Development Inc.)	Diamond	16	65-9 to 65-22 66-1 and 66-2	2,046
	1967	Isaac Schulman Syndicate	Diamond	4	S-30 to S-33	835
	1968-1969	Brameda Resources Noranda Exploration Company	Diamond	7	69-1 to 69-3 69-9 to 69-12	964
	1970	North Pacific Mines	Percussion	25	P 70-1 to P 70-18 P 70-20 to P 70-26	1,167
	1971-1973	Getty Pacific Mining	Percussion	16	P 71-1 to P 71-16	1,527
			Diamond	7	71-1 to 71-3, 72-1 73-1 and 73-2	2,211
	1972-1973	Quintana Minerals	Percussion	17	HV 1 to 3, 3A, 4 to 6, 6A, 7,10 to 18	1,548
			Diamond	2	HV5 (390m), QDHV3	868
	1974-1992	Robak Industries Ltd	Percussion	10	Unknown	711
	1980-1982	TRV Minerals Corporation; W.R. Financial Consultants	Diamond	1	Unknown	302
	1993	Getty Copper Corp.	Diamond	5	GN 93-1 to 93-5	558
	1995	Getty Copper Corp.	Diamond	33	GN 95-1 to 95-33	7,653
	1996	Getty Copper Corp.	Diamond	41	GN 96-1 to 96-40 M 96-001	10,692
	1997	Getty Copper Corp.	Diamond	64	GN 97-1 to 97-64	17,445
	2024	Getty Copper Inc.	Diamond	1	GN24-01	612
Getty South	1957	Unknown	Diamond	44	S-1 to S-44	7,870
	1962	Unknown	Diamond	6	D-1 to D-6	580
	1964	Mitsui	Diamond	28	64-1 to 64-8, 64-8B, 64-9 to 64-10, 64-10B, 64-11 to 64-13, 64-13B, 64-13C, 64-14 to 64-24	5,217
	1968	Phelps Dodge Ltd.	Diamond	2	PD68-1, PD68-2	244
	1969	Mokta (Canada)	Diamond (Underground)	10	69-U1 to 69-U11	872
	1969-1970	Josco Mining; Peachiney Development Ltd.	Percussion	8	PH.1 to PH.8	588
			Diamond	3	70-4 to 70-6	763
	1970	Mokta (Canada)	Diamond (Underground)	15	U-1 to U-6, U-7(A), U-8 to U-15	985
	1996	Getty Copper Corp.	Diamond	13	GS96-001 to GS96-013	3,235
	2025	Getty Copper Inc.	Diamond	3	GS25-01 to GS25-03	380
Other, incl. Getty West, Glossie	1996	Getty Copper Corp.; Globe Resources Ltd.	Diamond	9	GL96-001 to GL96-008, GW96-001	2,331
	2004	Highland Valley Copper; Getty Copper Inc.	Diamond	19	GL2004-01 to G2004-20	5,030
	2023	Getty Copper Inc.	Diamond	5	GLS23-01 to GLS23-05	717

Getty History



Investors are cautioned that mineral deposits on adjacent or nearby properties, including Teck Resources' Highland Valley Copper mine, are not necessarily indicative of mineralization on Getty Copper's properties.

The Asset





Investors are cautioned that mineral deposits on adjacent properties, including Teck Resources' Highland Valley Copper mine, are not necessarily indicative of mineralization on Getty Copper's properties.

Geology

Guichon Creek Batholith

Late Triassic age.

Porphyry Copper Deposits

The batholith is host for and genetically related to porphyry copper deposits mined at Valley, Lornex, Highmont, and Bethlehem, as well as numerous other occurrences.

Batholith Structure

The batholith is characterized by a concentrically layered structure, with older, more mafic rocks at the margins and progressively younger, more felsic rocks towards the center that are close in age to the porphyry Cu deposits.

Post-Mineral Cover

A layer of Eocene volcanic rocks postdates the Cu deposits and covers the northern part of the batholith within the Getty Property.

